Certificate Number 20131213-E52041

Report Reference E52041-19750812

Issue Date 2013-DECEMBER-13

Issued to: TIDELAND SIGNAL CORP

4310 DIRECTORS ROW HOUSTON TX 77092

This is to certify that representative samples of

SIGNAL APPLIANCES, MISCELLANEOUS FOR USE IN

HAZARDOUS LOCATIONS

Navigational aids, Model Audio Beam AB-26 marine fog signal for use in Class I, Groups C and D, Division 2,

hazardous locations.

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: ANSI/ISA 12.12.01-2013, Nonincendive Electrical

Equipment for Use in Class I and II, Division 2 and Class III,

Divisions 1 and 2 Hazardous (Classified) Locations.

Additional Information: See the UL Online Certifications Directory at

www.ul.com/database for additional information

Only those products bearing the UL Listing Mark should be considered as being covered by UL's Listing and Follow-Up Service.

The UL Listing Mark generally includes the following elements: the symbol UL in a circle: with the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.

William W. C.

William R. Carney, Director, North American Certification Programs

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus

(Ա)

 Certificate Number
 20131213-E52041

 Report Reference
 E52041-19751223

 Issue Date
 2013-DECEMBER-13

Issued to: TIDELAND SIGNAL CORP

4310 DIRECTORS ROW HOUSTON TX 77092

This is to certify that representative samples of

SIGNAL APPLIANCES, MISCELLANEOUS FOR USE IN

HAZARDOUS LOCATIONS

Navigational aids, Models Audio Beam AB-560 and Audio Beam AB-860 marine fog signals for use in Class I, Division

2, Groups C and D hazardous locations.

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: Standard No. ANSI/ISA 12.12.01-2013, Nonincendive

Electrical Equipment for Use in Class I and II, Division 2 and Class III, Divisions 1 and 2 Hazardous (Classified)

Locations.

Additional Information: See the UL Online Certifications Directory at

www.ul.com/database for additional information

Only those products bearing the UL Listing Mark should be considered as being covered by UL's Listing and Follow-Up Service.

The UL Listing Mark generally includes the following elements: the symbol UL in a circle: with the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.

William R. Carney, Director, North American Certification Programs

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus



Certificate Number 20130522-E52041

Report Reference E52041-19720801

Issue Date 2013-MAY-22

Issued to: TIDELAND SIGNAL CORP

4310 DIRECTORS ROW

PO BOX 52430

HOUSTON TX 77092

This is to certify that representative samples of

SIGNAL APPLIANCES, MISCELLANEOUS FOR USE IN

HAZARDOUS LOCATIONS

Navigational aids, Model ML140, ML155 and ML300 marine lanterns for use in Class I, Division 2, Groups C and D

hazardous locations.

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: ANSI/ISA 12.12.01-2012, Nonincendive Electrical

Equipment for Use in Class I and II, Division 2 and Class III,

Divisions 1 and 2 Hazardous (Classified) Locations.

Additional Information: See the UL Online Certifications Directory at

www.ul.com/database for additional information

Only those products bearing the UL Listing Mark should be considered as being covered by UL's Listing and Follow-Up Service.

The UL Listing Mark generally includes the following elements: the symbol UL in a circle: with the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.

William R. Carney, Director, North American Certification Programs

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus

(Ա)

Certificate Number 20130522-E52041

Report Reference E52041-20080509

Issue Date 2013-MAY-22

Issued to: TIDELAND SIGNAL CORP

4310 DIRECTORS ROW

PO BOX 52430 HOUSTON TX 77092

This is to certify that representative samples of

SIGNAL APPLIANCES, MISCELLANEOUS FOR USE IN

HAZARDOUS LOCATIONS

Navigational aids, signal lanterns for use in Class I, Division

2, Groups C and D hazardous locations.

Models: MLED140, MLED155, MLED300, MLED140 w/MaxiHALO-EFF, MLED155 w/MaxiHALO-EFF and

MLED300 w/MaxiHALO-EFF, MLED140 w/MaxiHALO-60 II,

MLED155 w/MaxiHALO-60 II and MLED300 w/MaxiHALO-60 II.

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: ANSI/ISA 12.12.01-2012, Nonincendive Electrical

Equipment for Use in Class I and II, Division 2 and Class III,

Divisions 1 and 2 Hazardous (Classified) Locations.

Additional Information: See the UL Online Certifications Directory at

www.ul.com/database for additional information

Only those products bearing the UL Listing Mark should be considered as being covered by UL's Listing and Follow-Up Service.

The UL Listing Mark generally includes the following elements: the symbol UL in a circle: with the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.

William R. Carney, Director, North American Certification Programs

UL LLC

Western R. Carry

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus



 Certificate Number
 20130923-E52041

 Report Reference
 E52041-20130612

 Issue Date
 2013-September-23

Issued to: TIDELAND SIGNAL CORP.

4310 DIRECTORS ROW,

PO BOX 52430,

HOUSTON TX 77092

This is to certify that representative samples of

SIGNAL APPLIANCES, MISCELLANEOUS FOR USE IN

HAZARDOUS LOCATIONS

See Addendum Page

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: ANSI/ISA 12.12.01 Nonincendive Electrical Equipment for

Use in Class I and II, Division 2 and Class III, Divisions 1

and 2 Hazardous (Classified) Locations

CAN/CSA C22.2 No. 213-M1987 Non-Incendive Electrical

Equipment For Use In Class I, Division 2 Hazardous

Locations (1987 Edition)

Additional Information: See the UL Online Certifications Directory at

www.ul.com/database for additional information

Only those products bearing the UL Listing Mark for the US and Canada should be considered as being covered by UL's Listing and Follow-Up Service meeting the appropriate requirements for US and Canada.

The UL Listing Mark for the US and Canada generally includes: the UL in a circle symbol with "C" and "US" identifiers: ^(U) us the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.

William R. Carney, Director, North American Certification Programs

UL LLC

Welliam R. Com

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus

(Ա)

20130923-E52041 **Certificate Number** E52041-20130612 **Report Reference** 2013-September-23 **Issue Date**

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.


Signal Appliances for use in Class I, Division 2, Groups A, B, C, and D Hazardous Locations LED beacon: Cat. No. Nova-65 and Nova-65 HI.

William R. Carney, Director, North American Certification Programs

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, ple contact a local UL Customer Service Representative at www.ul.com/contactus





NOTICE OF AUTHORIZATION TO APPLY THE UL MARK

11/12/2008 Mr. Dale Williams TIDELAND SIGNAL CORP 4310 DIRECTORS ROW PO BOX 52430 HOUSTON ,TX 77092, US

Our Reference: File E52041, Vol. 1 Project 08NK15487

Number

Your Reference: D.WILLIAMS 071008

Project Scope: USL - SolaMAX-140EFF and SolaMAX-155EFF for use in Class I, Division 2, Groups A, B, C

and D Hazardous Locations.

Dear Mr. Dale Williams:

UL's investigation of your product(s) has been completed under the above Reference Number and the product was determined to comply with the applicable requirements.

This letter temporarily supplements the UL Follow-Up Services Procedure and serves as authorization to apply the UL Mark only at authorized factories under UL's Follow-Up Service Program.

To provide the manufacturer with the intended authorization to use the UL Mark, the addressee must send a copy of this notice to each manufacturing location currently authorized in File E52041, Vol. 1.

This authorization is effective from the date of this Notice and only for products at the indicated manufacturing locations. Records in the Follow-Up Services Procedure covering the product are now being prepared and will be sent in the near future. <u>Authorization to apply the UL Mark is only effective for 90 days from the date of this letter.</u>

Any information and documentation provided to you involving UL Mark services are provided on behalf of Underwriters Laboratories Inc. (UL) or any authorized licensee of UL.

Very truly yours, Reviewed by:

Hunain DattuFrancis Mah847-664-3506847-664-2842Project EngineerSenior Staff EngineerHunain.Dattu@us.ul.comFrancis.Mah@us.ul.com

NBKA484-8F8E92